

RENT*Café* Web Service API *Reference Guide*



[Corporate Website](#)

[Client Central](#)

c_ren_api_rev_b

Documentation and Online Help

Published by

Yardi Systems, Inc.

430 South Fairview Avenue

Santa Barbara, CA 93117

© 2017 by Yardi Systems, Inc. All rights reserved.

This product or document is protected by copyright, trademark and other intellectual property laws. Use of the product or document is subject to the terms and conditions of an authorized Yardi Systems, Inc. software license or other agreement including, but not limited to, restrictions on its use, copying, disclosure, distribution and decompilation. NOTHING IN THIS DOCUMENTATION IS INTENDED TO SUPERSEDE ANY EXPRESS WRITTEN AGREEMENTS PROVIDED BY YARDI SYSTEMS FOR PORTIONS OF ANY YARDI SYSTEMS PRODUCT OR SERVICE OTHER THAN THIS DOCUMENTATION. No part of this product or document may be disclosed or reproduced in any form by any means without the prior written authorization of Yardi Systems, Inc. This product or document contains proprietary information about software processes, algorithms, and data models which is Confidential Information, and constitutes trade secrets, and which is intended for utilization solely in connection with Yardi software licensees' use of Yardi software and for no other purpose.

The inclusion of any references to third-party products and services in this documentation does not imply endorsement by Yardi Systems of such products or services or the third party, or an affiliation between Yardi Systems and such third party. Yardi Systems is not responsible for, and does not control, any third-party products and services including, without limitation, the compatibility, performance, content, trustworthiness, legality, or any other aspect of such products and services.

RESTRICTED RIGHTS: This documentation is a "Commercial Item" consisting of "Computer Software Documentation," as those terms are defined in Federal Acquisition Regulation 48 C.F.R. 2.101. Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4, U.S. government end users acquire this documentation with only the rights specified in the corresponding license.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

TRADEMARKS

Yardi®, Yardi Systems, Inc., the Yardi logo, Beacon, CHECKscan, COLLECTplus, CONDOCafé, Conductor, ENERGYplus, Enterprise, Executive Dashboard, Genesis, HOUSINGCafé®, Insight, LOBOS®, Orion®, PAYplus, PAYscan, Point2®, Procure to Pay, PROCUREplus, PropertyShark®, rCash®, RENTCafé®, RENTmaximizer, SENIORCafé, Sentinel, SiteStuff®, VendorCafe®, VisualHOMES®, Voyager®, Yardi Energy Solutions®, Yardi® Commercial LeasingPad, Yardi® Concierge, Yardi® Corporate LeasingPad, Yardi® CRM, Yardi® Marketplace, Yardi® Military LeasingPad, Yardi® MILITARYCafé, Yardi® Portal, Yardi® Report Runner, Yardi® Service Manager, Yardi® Student LeasingPad, Yardi® STUDENTCafé, Yardi® Task Runner, yCheck, and yXfer are trademarks or registered trademarks of Yardi Systems, Inc. in the United States and may be protected as trademarks in other countries.

All third-party trademarks are the property of their respective owners.

YARDI SYSTEMS, INC. HAS ATTEMPTED TO ENSURE THE ACCURACY AND QUALITY OF THE CONTENT DESCRIBED IN THIS PRODUCT OR DOCUMENT; HOWEVER, IT IS PROVIDED ON AN "AS IS" BASIS WITHOUT WARRANTY OF ANY KIND. TO THE EXTENT PERMITTED BY APPLICABLE LAW, YARDI DISCLAIMS ALL IMPLIED WARRANTIES WITH RESPECT TO THIS DOCUMENT AND THE PROCEDURES AND TECHNIQUES IT DESCRIBES INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR INTENDED PURPOSE, TITLE, NON-INFRINGEMENT, COURSE OF DEALING OR COURSE OF PERFORMANCE. YARDI MAKES NO WARRANTY THAT (i) THE INFORMATION AND MATERIAL HEREIN WILL MEET YOUR REQUIREMENTS, OR (ii) THE RESULTS THAT MAY BE OBTAINED FROM THE USE OF THE INFORMATION AND MATERIALS HEREIN WILL BE ACCURATE OR RELIABLE. YARDI, ITS SUPPLIERS OR ANY THIRD PARTY MENTIONED IN THIS PRODUCT OR DOCUMENT DISCLAIM AND, TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW IN YOUR JURISDICTION, SHALL NOT BE LIABLE FOR, ANY TYPE OF DAMAGES RELATED TO THIS DOCUMENTATION OR ITS USE, OR PERFORMANCE OR NON-PERFORMANCE OF ANY SOFTWARE, HARDWARE, SERVICE, OR ANY THIRD PARTY PRODUCTS AND SERVICES INCLUDING WITHOUT LIMITATION ANY OF THE FOLLOWING DAMAGES: ANY DIRECT, INDIRECT, INCIDENTAL OR CONSEQUENTIAL, SPECIAL OR EXEMPLARY DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT.

c_ren_api_rev_b

Document Changes

The following table lists the plug-in versions documented in each manual revision. To determine which plug-in versions you use, select **Administration > About**. If a manual documents multiple plug-ins, use the manual revision associated with the most recent plug-in version you use.

A number following the revision letter indicates changes since the previous revision are non-substantive: style, pagination, and so on. Thus, revision a.1 contains the same substantive material as revision a.

| Publication Date | Document Revision | Newly Documented Software | Other Substantive Changes |
|------------------|-------------------|---------------------------|---|
| 29 March 2017 | b | RENTCafé 9.4 Release | |
| 27 May 2016 | a | RENTCafé 8.4 Release | Removed release number for future document revisions. |
| 18 June 2015 | 7.3_a | RENTCafé 7.3 Release | |
| 22 April 2015 | 7.1_a.1 | | |
| 20 April 2015 | 7.1_a | RENTCafé 7.1 Release | |
| 12 January 2015 | 6.7_b.1 | | |
| 5 January 2015 | 6.7_b | | Updated PropertyTypeId numbers. |
| 19 December 2014 | 6.7_a | RENTCafé 6.7 Release | |
| 17 October 2014 | 6.5_a.1 | | |
| 17 October 2014 | 6.5_a | RENTCafé 6.5 Release | |
| 2 May 2014 | 6.0_a | | |
| 29 January 2014 | 5.5_a | RENTCafé 5.5 Release | |
| 3 October 2013 | 4.8_b.1 | | |
| 21 August 2013 | 4.8_b | | Updated documentation on SearchJSON request type. |
| 14 August 2013 | 4.8_a | RENTCafé 4.8 Release | |
| 18 April 2013 | 4.4_a | RENTCafé 4.4 Release | |
| 12 March 2013 | 4.2_a | RENTCafé 4.2 Release | |
| 30 January 2013 | 3.4_a | RENTCafé 3.4 Release | |
| 20 November 2012 | 3.2_a | RENTCafé 3.2 Release | |

RENTCafé Web Service API Reference Guide

In this document:

| | |
|-------------------------------------|----|
| Web Service API Overview | 1 |
| Web Service API Request Types..... | 1 |
| Web Service API Error Messages..... | 18 |

This document describes how to use the RENTCafé Web Service API.

Web Service API Overview

The RENTCafé Web Service API transmits data between RENTCafé and third-party websites. It is a *Representational State Transfer (REST)* web service and supports the *HTTP GET* request method.

The Web Service API is located at the following URL:

<http://api.rentcafe.com/rentcafeapi.aspx>

Web Service API Request Types

In this section:

| | |
|---|----|
| SearchJSON Request Type..... | 2 |
| Property Request Type..... | 5 |
| FloorPlan Request Type | 11 |
| ApartmentAvailability Request Type..... | 12 |
| Images Request Type | 14 |
| Lead Request Type..... | 15 |
| GetRentCafeUrl Request Type | 16 |
| PricingMatrix Request Type | 17 |

This section describes request types supported by the RENTCafé Web Service API.

SearchJSON Request Type

| | |
|---|---|
| Description | Returns property listing data from Corporate Apartment Search site. |
| HTTP GET sample | <p>Returns only published data:</p> <pre>http://www.jeffersonadvisors.com/rentcafeapi.aspx?apiToken=ODAxNw%3d%3d-0DHk4ex%2bpOU%3d&requestType=searchJSON&city=Tonopah,NV</pre> <p>Returns all data:</p> <pre>http://api.rentcafe.com/rentcafeapi.aspx?apiToken=ODAxNw%3d%3d-0DHk4ex%2bpOU%3d&requestType=searchJSON&city=Tonopah,NV</pre> |
| Parameters <i>(* denotes a required parameter.)</i> | <p>*requestType searchJSON</p> <p>*city 5-digit ZIP code, or city name and 2-character state code separated by comma with no space. For example: Tonopah,NV.</p> <p>*apiToken Encrypted token for your company.</p> <p>distance Search radius from the center of the specified location (in miles).</p> <p>maxRent Highest monthly rent amount.</p> <p>minRent Lowest monthly rent amount.</p> <p>beds Least number of bedrooms.</p> <p>baths Least number of bathrooms.</p> <p>petPolicy Pet policy rules:</p> <ul style="list-style-type: none"> indifferent No pet policy specified. cats Only cats allowed. dogs Only dogs allowed. petFriendly All pets allowed. noPetsAllowed No pets allowed. <p>propertyName Name of property.</p> <p>latLng Latitude and longitude coordinates separated by comma with no space. For example: 30.2579, -97.7525. To return multiple properties, specify a search radius using the distance parameter.</p> <p>sort Parameter by which the dataset sorts properties. You can use any of the above parameters.</p> <p>order Order in which the dataset sorts properties:</p> <ul style="list-style-type: none"> asc Ascending order. desc Descending order. |

Sample Response

| | |
|--|---|
| <code>{"Cityview Towers_0":</code> | |
| <code>{"PropertyName": "Cityview Towers",</code> | |
| <code>"propertyShortName": "cityview-towers",</code> | <i>Part of listing page URL that identifies property.</i> |
| <code>"Address": "102 Burro Ave",</code> | |
| <code>"City": "Tonopah",</code> | |
| <code>"State": "NV",</code> | |
| <code>"ZipCode": "89049",</code> | |
| <code>"Phone": "(855) 286-8029",</code> | |
| <code>"SiteUrl": "www.cityviewtowers.com",</code> | |
| <code>"minbed": 1,</code> | |
| <code>"maxbed": 3,</code> | |
| <code>"minbath": 1.0,</code> | |
| <code>"maxbath": 2.50,</code> | |
| <code>"minrent": 639.00,</code> | |
| <code>"maxrent": 2013.00,</code> | |
| <code>"MinArea": 550.00,</code> | |
| <code>"MaxArea": 1400.00,</code> | |
| <code>"Miles": 0,</code> | <i>Distance from center of city (in miles).</i> |
| <code>"PropertyTypeId": 0,</code> | <i>0: MultiFamily, 2: SingleFamily, 6: MarketingList, 8: Senior</i> |
| <code>"MarketingType": 0,</code> | <i>0: Apartment Building, 1: Condo, 2: Home, 3: Townhouse, 4: Loft, 5: Duplex_Triplex, 9: Student, 10: Affordable</i> |
| <code>"dLatitude": 38.0698,</code> | |
| <code>"dLongitude": -117.2304,</code> | |
| <code>"Amenity": "~Gated Community~BBQ/Picnic Area",</code> | <i>Amenities separated by tildes (~).</i> |
| <code>"ImageURL": "dmslivecafe/3/19998/3_19998_1528290.jpg?crop=(0,0,300,210)\u0026cropxunits=300\u0026cropyunits=210",</code> | <i>Property thumbnail path (relative to domain).</i> |
| <code>"bSpecialsAvailable": -1,</code> | <i>-1: Property has available Leasing specials. 0: Property does not have Leasing specials.</i> |
| <code>"LeasingType": 2,</code> | <i>0: Contact us 2: Lease execution</i> |
| <code>"hTheme": 236,</code> | <i>Marketing site theme identifier number.</i> |
| <code>"PublishOnPortal": -1,</code> | <i>-1: Site published to custom domain. 0: Site not published to a custom domain.</i> |
| <code>"ContractedOnPortal": -1,</code> | <i>-1: Property can use Portal features. 0: Property cannot use Portal features.</i> |
| <code>"PublishOnCorporateSite": -1,</code> | <i>-1: Property data exists on Corporate Apartment Search 0: Property data does not exist on Corporate Apartment Search (not returned in response).</i> |
| <code>"IsFullyOccupied": 0,</code> | <i>-1: Property occupancy = 100% 0: Property occupancy < 100%.</i> |
| <code>"FeaturedProperty": 0,</code> | <i>0: Property is not featured on Corporate Apartment Search. 1: Property is featured on Corporate Apartment Search.</i> |

```
"FeaturedUntil":null,  
"HideMapsFlags":0,  
"HideSQFT":0,  
"Propertyid":19998,  
"availability":0,  
  
"IsForRent":0,  
"bDisablePricing":0,  
"ShowWaitlistUnit":1,  
"WaitlistUnitCount":3}}
```

Date until the property is no longer featured (if not featured, "null" is displayed).

-1: Property does not have any available apartments.

0: Property has available apartments.

Not used.

Number of waitlist units at property.

Property Request Type

| | |
|---|---|
| Description | Returns property, amenities, pet policy, or office hours data. |
| HTTP GET sample | <code>https://api.rentcafe.com/rentcafeapi.aspx?requestType=property&type=propertyData&apiToken=ODAxNw%3d%3d-0DHk4ex%2bpOU%3d&VoyagerPropertyCode=resca02</code> |
| Parameters <i>(* denotes a required parameter.)</i> | <p>*requestType property</p> <p>*type Type of data to display</p> <ul style="list-style-type: none"> propertyData Property listing information. amenities Default and custom amenities. petPolicy Pet policy details. officeHours Office hours details. marketingData All of the above in one dataset. <p>*apiToken Encrypted token for your company.</p> <p>Specify only one of the following:</p> <ul style="list-style-type: none"> *propertyCode RENTCafé property code. For example: p005223. *propertyId RENTCafé property identifier number. For example: 20006. *voyagerPropertyCode Voyager property code. For example: resca32. *voyagerPropertyId Voyager property identifier number. For example: 12. |

Sample Response

● Type=PropertyData

```
[{"name": "Gardenview Terrace",
"address": "102 Burro Ave",
"city": "Tonopah",
"state": "NV",
"zipcode": "89049",
"url": "www.gardenviewterrace.com",
"description": "Come experience true luxury in Tonopah at Gardenview Terrace Apartments.",
"email": "info@RENTCafe.com",
"phone": "(855) 736-8223",
"Latitude": "38.069771",
"Longitude": "-117.230445",
"PropertyCode": "p0000164",
"VoyagerPropertyCode": "resca02"}]
```

Marketing site URL.

Marketing text (HTML).

●Type=Amenities

```
[{"AmenityName": "High Speed Internet",
  "Description1": "50Mbps High Speed Internet",
  "AmenityID": "1763042",
  "AmenityMasterID": "4",
  "CustomAmenityName": "High Speed Internet",
  "iorder": "1",
  "FloorPlanAmenityFlag": "0",
  "PropertyAmenityFlag": "-1",
  "Link": "http://www.example.com/",
  "CustomAmenityType": "0",
  "ImageURL":
  "http://cdn.rentcafe.com/DocumentManager/image.
  jpg"},
  {"AmenityName": "Hardwood Floors",
  "Description1": "Luxurious stained and treated
  bamboo hardwood floors.",
  "AmenityID": "1763043",
  "AmenityMasterID": "58",
  "CustomAmenityName": "Hardwood Floors",
  "iorder": "2",
  "FloorPlanAmenityFlag": "-1",
  "PropertyAmenityFlag": "0",
  "Link": "http://www.example.com/",
  "CustomAmenityType": "0",}]
  "ImageURL": ""},
```

Default amenity name.

Amenity description

Amenity identifier number.

Amenities master List identifier number.

User-defined amenity name.

Position of amenity on listing page.

-1: Floor plan amenity

0: Not floor plan amenity

-1: Property amenity

0: Not property amenity

Amenity link.

-1: Custom amenity

0: Not custom amenity

Amenity image URL. Upload amenity images in RENTCafé Site Manager.

●Type=PetPolicy

```
[{"PetId": "390704",
  "PetPropertyId": "49627",
  "PetType": "3",

  "PetTypeorder": "0",
  "bAllowed": "-1",

  "sComment": "",
  "iMaxAllowed": "0",
  "dDeposit": "0.00",
  "dFee": "10.00",
  "dRent": "0.00",
  "dWeight": "0.00",
  "dFeeMax": "0.00",
  "dFeeMin": "0.00",
  "bPetCare": "0",

  "Restrictions": ""},
{"PetId": "390706",
  "PetPropertyId": "49627",
  "PetType": "2",
  "PetTypeorder": "2",
  "bAllowed": "1",
  "sComment": "",
  "iMaxAllowed": "0",
  "dDeposit": "10.00",
  "dFee": "0.00",
  "dRent": "0.00",
  "dWeight": "0.00",
  "dFeeMax": "0.00",
  "dFeeMin": "0.00",
  "bPetCare": "0",
  "Restrictions": ""}]
```

Pet policy detail identifier number.

RENTCafé property identifier number.

1: Cat

2: Dog

3: Pet-Friendly

4: Not Allowed

Position of detail on Listing page.

-1: Pets of type are allowed

0: Pets of type are not allowed

Maximum number of pets allowed of type.

Deposit amount per pet of type.

One-time fee amount per pet of type.

Monthly charge amount per pet of type.

Maximum weight per pet of type

(Not used.)

(Not used.)

-1: Care services offered for pet type.

0: Care services not offered for pet type.

(Not used.)

● type=OfficeHours

```
[{"OfficeHoursId": "8291",
  "OfficeHoursPropertyId": "49627",
  "Iday": "8",

  "DayOrder": "1.0",
  "StartTime": "1/27/2014 12:00:00 PM",
  "EndTime": "1/27/2014 4:00:00 PM"},
 {"OfficeHoursId": "8296",
  "OfficeHoursPropertyId": "49627",
  "Iday": "9",
  "DayOrder": "2.0",
  "StartTime": "1/27/2014 5:15:00 AM",
  "EndTime": "1/27/2014 2:00:00 PM"}],
```

*Office hours detail identifier number.
RENTCafé property identifier number.*

*1: Monday
2: Tuesday
3: Wednesday
4: Thursday
5: Friday
6: Saturday
7: Sunday
8: Monday-Friday
9: Saturday-Sunday*

*Position of detail on listing page.
(Date is not used.)
(Date is not used.)*

● type=marketingData

```
[{"PropertyData":
[{"name": "Gardenview Terrace",
"address": "102 Burro Ave",
"city": "Tonopah",
"state": "NV",
"zipcode": "89049",
"url": "www.gardenviewterrace.com",
"description": "Come experience true luxury in
Tonopah at Gardenview Terrace Apartments. ",
"email": "info@RENTCafe.com",
"phone": "(855) 736-8223",
"Latitude": "38.069771",
"Longitude": "-117.230445",
"PropertyCode": "p0000164",
"VoyagerPropertyCode": "resca02"}]

"Amenities":
[{"AmenityName": "High Speed Internet",
"Description1": "50Mbps High Speed Internet",
"AmenityID": "1763042",
"AmenityMasterID": "4",
"CustomAmenityName": "High Speed Internet",
"iorder": "1",
"FloorPlanAmenityFlag": "0",

"PropertyAmenityFlag": "-1",

"Link": "http://www.example.com/",
"CustomAmenityType": "0",

"ImageURL":
"http://cdn.rentcafe.com/DocumentManager/image
.jpg"},

{"AmenityName": "Hardwood Floors",
"Description1": "Luxurious stained and treated
bamboo hardwood floors.",
"AmenityID": "1763043",
"AmenityMasterID": "58",
"CustomAmenityName": "Hardwood Floors",
"iorder": "2",
"FloorPlanAmenityFlag": "-1",
"PropertyAmenityFlag": "0",
"Link": "http://www.example.com/",
"CustomAmenityType": "0",}]

"ImageURL": ""},

"OfficeHours":
{"OfficeHoursId": "8291",
```

Marketing site URL.

Marketing text (HTML).

Default amenity name.

Amenity description

Amenity identifier number.

Amenities master list identifier number.

User-defined amenity name.

Position of amenity on listing page.

-1: Floor plan amenity

0: Not floor plan amenity

-1: Property amenity

0: Not property amenity

Amenity link.

-1: Custom amenity

0: Not custom amenity

Amenity image URL. Upload amenity images in RENTCafé Site Manager.

Office hours detail identifier number.

```

"OfficeHoursPropertyId": "49627",
"Iday": "8",

"DayOrder": "1.0",
"StartTime": "1/27/2014 12:00:00 PM",
"EndTime": "1/27/2014 4:00:00 PM"},
{"OfficeHoursId": "8296",
"OfficeHoursPropertyId": "49627",
"Iday": "9",
"DayOrder": "2.0",
"StartTime": "1/27/2014 5:15:00 AM",
"EndTime": "1/27/2014 2:00:00 PM"}],

"PetPolicy":
{"PetId": "390704",
"PetPropertyId": "49627",
"PetType": "3",

"PetTypeorder": "0",
"bAllowed": "-1",

"sComment": "",
"iMaxAllowed": "0",
"dDeposit": "0.00",
"dFee": "10.00",
"dRent": "0.00",
"dWeight": "0.00",
"dFeeMax": "0.00",
"dFeeMin": "0.00",
"bPetCare": "0",

"Restrictions": ""},
{"PetId": "390706",
"PetPropertyId": "49627",
"PetType": "2",
"PetTypeorder": "2",
"bAllowed": "1",
"sComment": "",
"iMaxAllowed": "0",
"dDeposit": "10.00",
"dFee": "0.00",
"dRent": "0.00",
"dWeight": "0.00",
"dFeeMax": "0.00",
"dFeeMin": "0.00",
"bPetCare": "0",
"Restrictions": ""}}}]

```

RENTCafé property identifier number.

1: Monday, 2: Tuesday, 3: Wednesday, 4: Thursday, 5: Friday, 6: Saturday, 7: Sunday, 8: Monday-Friday, 9: Saturday-Sunday

Position of detail on Listing page.

(Date is not used.)

(Date is not used.)

Pet policy detail identifier number.

RENTCafé property identifier number.

1: Cat

2: Dog

3: Pet-Friendly

4: Not Allowed

Position of detail on Listing page.

-1: Pets of type are allowed

0: Pets of type are not allowed

Maximum number of pets allowed of type.

Deposit amount per pet of type.

One-time fee amount per pet of type.

Monthly charge amount per pet of type.

Maximum weight per pet of type

(Not used.)

(Not used.)

-1: Care services offered for pet type.

0: Care services not offered for pet type.

(Not used.)

FloorPlan Request Type

| | |
|------------------------|--|
| Description | Returns floor plan data. |
| HTTP GET sample | <code>https://api.rentcafe.com/rentcafeapi.aspx?requestType=floorplan&apiToken=ODAxNw%3d%3d-0DHk4ex%2bpOU%3d&VoyagerPropertyCode=resca02</code> |
| Parameters | <p>*requestType floorPlan</p> <p>(* denotes a required parameter.)</p> <p>*apiToken Encrypted token for your company.</p> <p>Specify only one of the following:</p> <p>*propertyCode RENTCafé property code. For example: p005223.</p> <p>*propertyId RENTCafé property identifier number. For example: 20006.</p> <p>*voyagerPropertyCode Voyager property code. For example: resca32.</p> <p>*voyagerPropertyId Voyager property identifier number. For example: 12.</p> |

Sample Response

| | |
|---|---|
| <code>[{"PropertyId": "20006",</code> | <i>RENTCafé property identifier number.</i> |
| <code>"FloorPlanId": "431183",</code> | <i>RENTCafé floor plan identifier number.</i> |
| <code>"FloorPlanName": "Birch",</code> | |
| <code>"Beds": "1",</code> | |
| <code>"Baths": "1.0",</code> | |
| <code>"MinimumSqFt": "523",</code> | |
| <code>"MaximumSqFt": "523",</code> | |
| <code>"MinimumRent": "1359",</code> | <i>-1: Appears when the "For Fully Occupied Floor Plans display" property setting is set to "Call for Details".</i> |
| <code>"MaximumRent": "1513",</code> | <i>-1: Appears when the "For Fully Occupied Floor Plans display" property setting is set to "Call for Details".</i> |
| <code>"MinimumDeposit": "500",</code> | |
| <code>"MaximumDeposit": "500",</code> | |
| <code>"AvailableUnitsCount": "0",</code> | |
| <code>"AvailabilityURL": "https://gardenviewterrace.se</code> | <i>Apartment availability page URL.</i> |
| <code>curecafe.com/onlineleasing/gardenview-</code> | |
| <code>terrace/oleapplication.aspx?stepname=Apartments</code> | |
| <code>&myOlePropertyId=20006&floorPlans=969074",</code> | |
| <code>"FloorPlanImageURL": "http://cdn.rentcafe.com/dm</code> | <i>Floor plan image URL. Upload floor plan images in RENTCafé Site Manager.</i> |
| <code>slivecafe/3/20006/3_20006_981101.jpg",</code> | |
| <code>"FloorPlanImageName": "Gardenview1bedroom.jpg",</code> | |
| <code>"PropertyShowsSpecials": "0",</code> | <i>-1: Leasing specials do not appear on apartment availability page.</i> |
| | <i>0: Leasing specials appear on apartment availability page.</i> |
| <code>"FloorPlanHasSpecials": "0",</code> | <i>-1: Floor plan is associated with specials.</i> |
| | <i>0: Floor plan is not associated with specials.</i> |
| <code>"UnitTypeMapping": "ca011b1b", }]</code> | <i>Unit types mapped to the floor plan.</i> |

ApartmentAvailability Request Type

| | |
|---|---|
| Description | Returns apartment data. |
| HTTP GET sample | <code>https://api.rentcafe.com/rentcafeapi.aspx?requestType=apartmentavailability&floorplanId=969074&apiToken=ODAxNw%3d%3d-0DHk4ex%2bOU%3d&propertyCode=p0000164</code> |
| Parameters <i>(* denotes a required parameter.)</i> | <p>*requestType apartmentAvailability</p> <p>*apiToken Encrypted token for your company.</p> <p>apartmentName Voyager unit code. For example: 1101.</p> <p>availableDate Latest availability date.</p> <p>floorPlanId RENTCafé floor plan identifier number. For example: 431187.</p> <p>numberOfBeds Number of bedrooms.</p> <p>numberOfBaths Number of bathrooms (append <i>.50</i> for half bathrooms).</p> <p>rentRange Monthly rent amount range. Separate values with a dash (-). For example: 1000-2000.</p> <p>sortOrder Fields by which apartments are sorted. Options are: floorPlanName, apartmentName, beds, baths, maximumRent, and minimumRent.</p> <p>Type ASC or DESC to denote ascending or descending sort order.</p> <p>Apartments are sorted by the first field, then the second field, and so on. Separate fields with a comma, no space.</p> <p>For example, <i>sortOrder=floorplanname ASC, beds DESC</i> results in the following:</p> <ul style="list-style-type: none"> • Alpha floor plan: 3-bedroom apartment • Alpha floor plan: 2-bedroom apartment • Beta floor plan: 3-bedroom apartment <p>city 5-digit ZIP code, or city name and 2-character state code separated by comma with no space. For example: Tonopah,NV.</p> <p>showPublishOnCorpSite Property's listing status on the Corporate Apartment Search (CAS) site:</p> <ul style="list-style-type: none"> • -1 Property listed on CAS. • 0 Property not listed on CAS. <p>Specify only one of the following:</p> <p>*propertyCode RENTCafé property code. For example: p005223.</p> <p>*propertyId RENTCafé property identifier number. For example: 20006.</p> <p>*voyagerPropertyCode Voyager property code. For example: resca32.</p> <p>*voyagerPropertyId Voyager property identifier number. For example: 12.</p> <p>TIP To return only the top <i>n</i> apartments for each floor plan, where <i>n</i> is a positive integer, edit the What is the Maximum Number of Apartments to Display in Results field on the Settings tab on the [Property Name] screen in RENTCafé Site Manager.</p> |

Sample Response

```
[{"PropertyId": "20006",
  "VoyagerPropertyId": "30",
  "VoyagerPropertyCode": "resca02",
  "FloorplanId": "216303",
  "FloorplanName": "1 Bedroom, 1 Bathroom",
  "ApartmentId": "90915",
  "ApartmentName": "1107",
  "Beds": "1",
  "Baths": "1.0",
  "SQFT": "950",
  "MinimumRent": "950.00",

  "MaximumRent": "950.00",

  "Deposit": "150",
  "ApplyOnlineURL": "https://gardenviewterrace.se
curecafe.com/onlineleasing/gardenview-
terrace/oleapplication.aspx?stepname=RentalOpt
ions&myOlePropertyId=20006&FloorPlanID=969074&
UnitID=1398151&header=1",
  "UnitImageURLs": ["http://cdn.rentcafe.com/Douc
mentManager/image.jpg", "http://cdn.rentcafe.com/
DocumentManager/image2.jpg"],
  "Specials": "Free Rent Offer for 2014 - 3
Months^Free Rent Offer for 2014 - 6 Months",
  "Amenities": "Pool View^Fireplace",
  "AvailableDate": "8/24/2012"}]
```

RENTCafé property identifier number.

Voyager property identifier number.

Voyager property code.

RENTCafé floor plan identifier number.

RENTCafé apartment identifier number.

-1: Appears when the “For Fully Occupied Floor Plans display” property setting is set to “Call for Details”.

-1: Appears when the “For Fully Occupied Floor Plans display” property setting is set to “Call for Details”.

Apartment application form URL.

Apartment image URLs, in brackets, separated with commas.

Specials separated by carets (^).

Amenities separated by carets (^).

If apartment is available before current date, current date is displayed.

Images Request Type

| | |
|---|--|
| Description | Returns property and unit image URLs. |
| HTTP GET sample | <code>http://api.rentcafe.com/rentcafeapi.aspx?requestType=images&type=propertyImages&apiToken=ODAxNw%3d%3d-0DHk4ex%2bpOU%3d&propertyCode=p0000164</code> |
| Parameters <i>(* denotes a required parameter.)</i> | <p>*requestType images</p> <p>*type Images to return. Options are propertyImages and unitImages.</p> <p>*apiToken Encrypted token for your company.</p> <p>apartmentName Voyager unit code. For example: 1101. Specify only one of the following:</p> <p>*propertyCode RENTCafé property code. For example: p005223.</p> <p>*propertyId RENTCafé property identifier number. For example: 20006.</p> <p>*voyagerPropertyCode Voyager property code. For example: resca32.</p> <p>*voyagerPropertyId Voyager property identifier number. For example: 12.</p> |

Sample Response

```
[{"Id": "1791767",
  "Title": "Apartments in Tonopah | Gardenview Terrace | Patio",
  "ImageURL": "http://cdn.rentcafe.com/dmslivecaf
e/3/20006/3_20006_1791767.jpg"},
{"Id": "1168682",
  "Title": "Apartments in Tonopah | Gardenview Terrace | Kitchen",
  "ImageURL": "http://cdn.rentcafe.com/dmslivecaf
e/3/20006/3_20006_1168682.jpg"}]
```

Unique numeric code for image.

Lead Request Type

| Description | Requests guest card information from third-party providers. | | | | | | | | | | | | | | |
|--|---|--|--|-------------------|-------------------|-------------------|--|---|--|--|--|--|--|--|--|
| HTTP GET sample | <pre>https://api.rentcafe.com/rentcafeapi.aspx?requestType=lead&firstName=Robert&lastName=Test&email=test@example.com&phone=9191283333&message=New%20prospect &propertyCode=p0000156&username=leadsapi@yardi.com&password=password&source=G5 &secondarySource=ILS-Ads&addr1=123%20Main%20Street&addr2=Suite%2034&city=Corona &state=NY&ZIPCode=11270-8989</pre> | | | | | | | | | | | | | | |
| Parameters <i>(* denotes a required parameter.)</i> | <p>*requestType lead</p> <p>*firstName First name of prospect. Up to 40 characters long.</p> <p>*lastName Last name of prospect. Up to 40 characters long.</p> <p>*email Email address of prospect. Up to 80 characters long.</p> <p>phone Primary phone number of prospect. Up to 17 digits long.</p> <p>*message Message to send to RENTCafé with the prospect's information. Up to 255 characters long. Use %20 for spaces. For example: <i>New%20prospect</i>.</p> <p>*source Primary marketing source that you want to credit on the prospect's record. In Voyager 60.x, if a matching source does not exist, the web service creates a new one; if no source is specified, the web service creates and credits the LeadsAPI source. In Voyager 70.x, if a matching source does not exist (or if one is not specified) the web service does not create a new one. Up to 30 characters long.</p> <p>*secondarySource Secondary marketing source that you want to credit. Secondary sources do not appear on prospect records; however, you can use them with custom reports. For more information, contact Yardi technical support.</p> <p>*addr1 First line of property address. Up to 40 characters long.</p> <p>*addr2 Second line of property address. Up to 40 characters long.</p> <p>*state State in which property is located. Up to 4 characters long (2 characters for the state abbreviation and 2 optional characters).</p> <p>*zipCode ZIP Code in which the property is located. Up to 12 characters long.</p> <p>Specify one of the following parameter groups:</p> <table border="1"> <thead> <tr> <th>Parameter Group 1</th> <th>Parameter Group 2</th> <th>Parameter Group 3</th> </tr> </thead> <tbody> <tr> <td>*propertyCode RENTCafé property code. For example: p005223.</td> <td>*propertyId RENTCafé property identifier number. For example: 20006.</td> <td>*vendorPropertyId Vendor property code. For example: vendor_lakewood.</td> </tr> <tr> <td>*username (Provided by RENTCafé.)</td> <td>*username (Provided by RENTCafé.)</td> <td>*vendorAPIKey Authentication key for the vendor. For example: 1234-1234-1234.</td> </tr> <tr> <td>*password (Provided by RENTCafé.)</td> <td>*password (Provided by RENTCafé.)</td> <td></td> </tr> </tbody> </table> | | | Parameter Group 1 | Parameter Group 2 | Parameter Group 3 | *propertyCode RENTCafé property code. For example: p005223. | *propertyId RENTCafé property identifier number. For example: 20006. | *vendorPropertyId Vendor property code. For example: vendor_lakewood. | *username (Provided by RENTCafé.) | *username (Provided by RENTCafé.) | *vendorAPIKey Authentication key for the vendor. For example: 1234-1234-1234. | *password (Provided by RENTCafé.) | *password (Provided by RENTCafé.) | |
| Parameter Group 1 | Parameter Group 2 | Parameter Group 3 | | | | | | | | | | | | | |
| *propertyCode RENTCafé property code. For example: p005223. | *propertyId RENTCafé property identifier number. For example: 20006. | *vendorPropertyId Vendor property code. For example: vendor_lakewood. | | | | | | | | | | | | | |
| *username (Provided by RENTCafé.) | *username (Provided by RENTCafé.) | *vendorAPIKey Authentication key for the vendor. For example: 1234-1234-1234. | | | | | | | | | | | | | |
| *password (Provided by RENTCafé.) | *password (Provided by RENTCafé.) | | | | | | | | | | | | | | |

Sample Response

Success

GetRentCafeUrl Request Type

| | |
|-----------------|--|
| Description | <p>Return URLs for the following:</p> <ul style="list-style-type: none"> • Applicant login https://gardenviewterrace.securecafe.com/onlineleasing/gardenviewterrace/guestlogin.aspx • Resident login https://gardenviewterrace.securecafe.com/residentservices/gardenviewterrace/userlogin.aspx • Apartment search https://www.gardenviewterrace.com/floorplans.aspx • Property home http://www.jeffersonadvisors.com/apartments/nv/tonopah/gardenviewterrace/default.aspx |
| HTTP GET sample | <p>https://api.rentcafe.com/rentcafeapi.aspx?requestType=getRENTCafeURL&type=residentLogin&apiToken=ODAxNw%3d%3d-0DHk4ex%2bpOU%3d&propertyCode=p0000164</p> |
| Parameters | <p>*requestType getRentCafeUrl</p> <p>*type URL to return. Options are applicantLogin, residentLogin, availability, and propertyDetailPage.</p> <p>*apiToken Encrypted token for your company.</p> <p>Specify only one of the following:</p> <p>*propertyCode RENTCafé property code. For example: p005223.</p> <p>*propertyId RENTCafé property identifier number. For example: 20006.</p> <p>*voyagerPropertyCode Voyager property code. For example: resca32.</p> <p>*voyagerPropertyId Voyager property identifier number. For example: 12.</p> |

Sample Response

<http://www.gardenviewterrace.com/floorplans.aspx>

PricingMatrix Request Type

| | |
|---|---|
| Description | Returns revenue management pricing data. |
| HTTP GET sample | <code>https://api.rentcafe.com/rentcafeapi.aspx?requestType=pricingmatrix&apiToken=ODAxNw%3d%3d-0DHk4ex%2bpOU%3d&propertyid=49627&apartmentname=1&availabledate=2/12/2016</code> |
| Parameters <i>(* denotes a required parameter.)</i> | <p>*requestType pricingMatrix</p> <p>*apiToken Encrypted token for your company.</p> <p>availableDate Latest availability date. If you do not specify a value for this parameter, current date is used.</p> <p>Specify only one of the following:</p> <p>*propertyCode RENTCafé property code. For example: p005223.</p> <p>*propertyId RENTCafé property identifier number. For example: 20006.</p> <p>*voyagerPropertyCode Voyager property code. For example: resca32.</p> <p>*voyagerPropertyId Voyager property identifier number. For example: 12.</p> <p>Specify only one of the following:</p> <p>*apartmentName Voyager unit code. For example: 1101.</p> <p>*apartmentId Voyager property identifier number. For example: 90915.</p> |

Sample Response

```
[{"Term": "12",
  "Start_Date": "10/15/2014 12:00:00 AM",
  "End_Date": "10/24/2014 12:00:00 AM",
  "Rent": "1010.00"},
 {"Term": "12",
  "Start_Date": "10/25/2014 12:00:00 AM",
  "End_Date": "10/31/2014 12:00:00 AM",
  "Rent": "1018.00"}]
```

Lease term Length (in months).

Web Service API Error Messages

If a request to the Web Service API fails, it returns an error code and a message:

ErrorCode: ([####]). [Message]

| Error Code | Message |
|------------|---|
| 1000 | Invalid Credentials |
| 1010 | Invalid Company |
| 1020 | Invalid Property |
| 1030 | Invalid RequestType |
| 1040 | Invalid User |
| 1050 | No data found for company/property |
| 1060 | No active property found for the property |
| 1070 | Property not configured for API |
| 1100 | Other Error |
| 9999 | Request is denied |